UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/580,501	05/23/2006	Petrus Christianus Maas	NL031427US1	2333

24737   7590   12/22/2010
PHILIPS INTELLECTUAL PROPERTY & STANDARDS
P.O. BOX 3001
BRIARCLIFF MANOR, NY 10510

EXAMINER
DISTEFANO, GREGORY A

ART UNIT	PAPER NUMBER
2175	

MAIL DATE	DELIVERY MODE
12/22/2010	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

BEFORE THE BOARD OF PATENT APPEALS
AND INTERFERENCES

Application Number: 10/580,501
Filing Date: May 23, 2006
Appellant(s): MAAS, PETRUS CHRISTIANUS

Thomas E. Kocovsky, Jr. (Reg. No. 28,383)

For Appellant

EXAMINER'S ANSWER

This is in response to the appeal brief filed 9/29/2010 appealing from the Office

action mailed 3/30/2010.

(1) Real Party in Interest

A statement identifying by name the real party in interest is contained in the brief.

(2) Related Appeals and Interferences

The examiner is not aware of any related appeals, interferences, or judicial

proceedings which will directly affect or be directly affected by or have a bearing on the

Board's decision in the pending appeal.

(3) Status of Claims

The statement of the status of claims contained in the brief is correct.

(4) Status of Amendments After Final

The appellant's statement of the status of amendments after final rejection

contained in the brief is correct.

(5) Summary of Claimed Subject Matter

The summary of claimed subject matter contained in the brief is correct.

(6) Grounds of Rejection to be Reviewed on Appeal

The appellant's statement of the grounds of rejection to be reviewed on appeal is correct.

(7) Claims Appendix

The copy of the appealed claims contained in the Appendix to the brief is correct.

(8) Evidence Relied Upon

5,374,942	Gilligan et al.	12-1994
US 6,538,672	Dobbelaar	03-2003
US 6,915,489	Gargi	07-2005
2002/0097239	Allen et al.	07-2002
US 2003/0158476	Takabayashi et al.	08-2003

(9) Grounds of Rejection

NOTE: The following grounds of rejection have been applied to the claims as

submitted 9/29/2010. It is of the examiner's opinion that as applicant's amendment

purely corrects issues to make the claims meet the requirements of 35 U.S.C. 101,

applicant's after final amendment has been entered.

The following ground(s) of rejection are applicable to the appealed claims:

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

> (a) A patent may not be obtained though the invention is not identically disclosed or described as set
> forth in section 102 of this title, if the differences between the subject matter sought to be patented and
> the prior art are such that the subject matter as a whole would have been obvious at the time the
> invention was made to a person having ordinary skill in the art to which said subject matter pertains.
> Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-4, 8-10, 12, 13, and 15-21 are rejected under 35 U.S.C. 103(a) as being

unpatentable over Allen et al. (2002/0097239), hereinafter Allen, in view of Gilligan et al.

(US 5,374,942), hereinafter Gilligan.

As per claims 1 and 8, Allen teaches the following:

an input for receiving the image data set, (pg. 2, paragraph [0014]), i.e. the

storage system 12 will include a plurality of storage locations which may be divided into

a program storage 16 for storing programs for execution and a data storage 16 for

storing data. From this teaching of Allen it is clear that in order for the memory to

contain such data, the system must possess an input device to place the data in
memory;

a memory for storing the image data set, (pg. 2, paragraph [0014]), i.e. the
storage system 12 will include a plurality of storage locations which may be divided into
a program storage 16 for storing programs for execution and a data storage 16 for
storing data;

*an interface for receiving instructions from a user, the interface comprising a
manipulation unit,* (pg. 2, paragraph [0017]), i.e. the user can, through the user interface
13, identify particular regions of the object 21 to be displayed through commands issued
through the user interface 13;

a processor for, under control of a computer program, (pg. 2, paragraph [0016]),
i.e. the debugger program 20 enables the processor 11 to display selected regions of
the object 21 to the user on display 14;

*determining the subset of images, by selecting images which for the at least one
attribute of the set have values in the respective subrange and which also have the
value for the additional attribute,* (pg. 3, paragraph [0023]), i.e. the processor 11 enables
the display 14 to display in video screen 30 the numerical values of the portion of the
object 21 selected as indicated by the sliders 32 and 33;

generating a view of the subset of images, (pg. 3, paragraph [0023]), i.e. the
processor 11 enables the display 14 to display in video screen 30 the numerical values
of the portion of the object 21 selected as indicated by the sliders 32 and 33;

an output for providing pixel values of the view for rendering on a display

(34), (pg. 3, paragraph [0023]), i.e. the processor 11 <u>enables the display 14</u> to display in

<u>video screen 30</u> the numerical values of the portion of the object 21 selected as

indicated by the sliders 32 and 33. The examiner would like to further make note of

paragraph [0028] on pages 3 and 4 which discusses pixel values.

However, Allen does not explicitly teach of a method of scrolling in three

dimensions without the use of a slidebar. Gilligan teaches the following:

enabling a user to select a respective subrange of the range of values for at least

one of the at least one attribute defined relative to an x- or y-axis and the additional

attribute defined relative to a z-axis by scrolling through an image data set substantially

parallel to a horizontal x-axis of a display by moving the manipulation unit along an x-

direction without use of a slidebar or moving substantially parallel to a vertical y-axis of

a display by moving the manipulation unit along a y-direction without use of a slidebar,

(column 1, lines 13-25), i.e. the features of the disclosed mouse are achieved by a

structural improvement over a conventional mouse, consisting in including <u>a spring</u>

<u>loaded supplementary control signal</u> that can be varied in magnitude and sign to control

the scrolling rate and heading respectively. The structural improvement is combined

with an operational method for setting the scrolling axis to a plurality of Options (i.e., <u>the</u>

<u>"x", y"</u> or "z" axis), at the same time the cursor is moved (further see Figs. 6a and 6b);

enabling a user to select a value for the additional attribute by scrolling through

the image data set substantially parallel to a z-axis by moving the manipulation unit

along a diagonal imaginary z-axis positioned diagonally between and in a common

plane with the x- direction and the y- direction without use of a slidebar, (column 1, lines 13-25), i.e. the features of the disclosed mouse are achieved by a structural improvement over a conventional mouse, consisting in including <u>a spring loaded supplementary control signal</u> that can be varied in magnitude and sign to control the scrolling rate and heading respectively. The structural improvement is combined with an operational method for setting the scrolling axis to a plurality of Options (i.e., the "x", y" or "<u>z" axis</u>), at the same time the cursor is moved.

    While Gilligan does not explicitly teach a method of scrolling the z-axis in response to moving the mouse in a diagonal direction, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified the z-axis selection pattern to be that of a diagonal line. One of ordinary skill in the art would have been motivated to have made such modifications because Gilligan anticipates using the patterns of straight lines to select axes as may be seen in the Fig. 6a which is a horizontal line to select the x-axis and Fig. 6b which is a vertical line to select the y-axis. Furthermore, Gilligan never limits themselves to the patterns which may be used to represent the selection of a scrolling axis as may be seen in Gilligan's parent case US 5,313,229, column 16, claim 17. Still further, a diagonal line has been a well known technique for symbolizing a z-axis or depth value as may be seen in Allen's Fig.4A, axis 3.

    It would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified Allen's three dimensional visualization system with the three dimensional scrolling system of Gilligan. One of ordinary skill in the art

would have been motivated to have made such modifications because both Allen and

Gilligan are analogous art in the field of scrolling in three dimensions. Furthermore,

Allen teaches in page 1, paragraph [0014], that a user input device may include "a

pointing device such as a mouse" and Gilligan's system is directed to such a mouse.

Regarding claim 2, modified Allen teaches the system of claim 1 as described

above. Allen further teaches the following:

the manipulation unit comprises a pointer device and the imaginary z-axis is

realized in a line extending between the x-axis and the y-axis, (pg. 1, paragraph [0014]),

i.e. a user interface 13 for receiving input from a user via, for example, a keyboard and

a pointing device such as a mouse.

Regarding applicant's limitation of the imaginary z-axis, this may be seen in Fig.

4A where axis 3 is extending in a z direction in between axes 1 and 2.

Regarding claim 3, modified Allen teaches the system of claim 1 as described

above. Allen further teaches the following:

a mouse pointer is provided for providing visual feedback during selection of the

subranges or the value of the additional attribute, (pg. 1, paragraph [0014]), i.e. a user

interface 13 for receiving input from a user via, for example, a keyboard and a pointing

device such as a mouse.

Regarding claim 4, modified Allen teaches the system of claim 1 as described above. Allen further teaches the following:

an indicator is provided for indicating on the display along which of the x-, y-, and z- axes scrolling is possible, (pg. 2, paragraph [0020]), i.e. the large square slider 32, in conjunction with the numbers "2" and "3" in boxes situated to the left of the slider 32 and the slider 33 with the number "1" in the box situated to the left of slider 33, indicates that the object 21 whose data is to be used in the display is an object comprising an array whose elements are organized in three dimensions, that is, an object, such as an array in which each element of data is identified by a coordinate value along three axes.

Regarding claim 9, Allen teaches the following:

a non-transitory computer readable medium carrying a computer program operative to cause a processor to perform the method of claim 8, (pg. 2, paragraph [0016]), i.e. the debugger program 20 enables the processor 11 to display selected regions of the object 21 to the user on display 14.

Regarding claims 10 and 13, modified Allen teaches the system of claims 1 and 8 as described above. Allen further teaches the following:

the image data set is related to medical applications. Allen anticipated their system to be utilized in medical applications as may be seen in their showings of Figs. 3B and 3C.

Regarding claims 12 and 15, modified Allen teaches the system of claims 1 and 8 as described above. Allen further teaches the following:

the processor is arranged for, under control of the computer program, generating a view of an indication indicating potential directions for the scrolling, (pg. 2, paragraph [0020]), i.e. the large square slider 32, in conjunction with the numbers "2" and "3" in boxes situated to the left of the slider 32 and the slider 33 with the number "1" in the box situated to the left of slider 33, indicates that the object 21 whose data is to be used in the display is an object comprising an array whose elements are organized in three dimensions, that is, an object, such as an array in which each element of data is identified by a coordinate value along three axes.

Regarding claim 16, modified Allen teaches the system of claim 8 as described above. Allen further teaches the following:

imaginary z-axis is defined rotated relative to the x-axis and the y-axis (see axes of Fig. 4A),

the x-, y-, and z-axes being depicted in a plane of the display and the scrolling includes movement parallel to a corresponding one of the depicted axes, (pg. 2, paragraph [0020], i.e. the large square slider 32, in conjunction with the numbers "2" and "3" in boxes situated to the left of the slider 32, and the slider 33 with the number "1" in the box situated to the left of slider 33 indicates that the object 21 whose data is to be used in the display is an object comprising an array whose elements are organized

in three dimensions, that is, an object, such as an array in which each element of data is identified by a coordinate value along three axes.

As may be seen in Allen's Fig. 4A, axis "1" is the y-axis, axis "2" is the x-axis, and axis 3 is the z-axis.

Regarding claim 17, modified Allen teaches the system of claim 8 as described above. Gilligan further teaches the following:

scrolling along the x-axis includes moving a mouse left-right along an x- direction, (column 8, lines 21-23), i.e. in Fig. 6a, an approximately horizontal motion is issued to the cursor to set the scrolling axis status variable to "x",

scrolling along the y-axis includes moving the mouse away-closer along a y- scrolling direction, (column 8, lines 28-30), i.e. in Fig. 6b, an approximately vertical motion is issued to the cursor to set the scrolling axis status variable to "y".

However, Gilligan does not explicitly teach a method of "*scrolling along the z-axis includes moving the mouse diagonally relative to the x- and y- directions*". It would have been obvious to one of ordinary skill in the art to have modified the mouse movement scrolling method of Gilligan to scroll in a z direction in response to a diagonal mouse movement. One of ordinary skill in the art would have been motivated to have made such modifications because, Gilligan teaches in column 8, lines 1-5, that a user may scroll along the z-axis through moving the mouse in a circle. It is simply a design choice as to the actual pattern used to represent each axis, whether that is a circle, diagonal line, or any other pattern representable through mouse movements. One of ordinary

skill in the art (e.g. a computer programmer designing a mouse movement scrolling program) could have chosen any pattern possible in representing each of the possible scrolling directions.

As per claim 18, Allen teaches the following:

displaying a selected subset of images in a display plane, (pg. 3, paragraph [0023]), i.e. the processor 11 enables the display 14 to display in video screen 30 the numerical values of the portion of the object 21 selected as indicated by the sliders 32 and 33;

However, Allen does not explicitly teach of a method of scrolling in three dimensions through movements of an input device. Gilligan teaches the following:

moving an input device along a first direction in a first range of directions to scroll the displayed subset of the images along a first dimension of the at least three dimensions, (column 8, lines 21-23), i.e. in Fig. 6a, an approximately horizontal motion is issued to the cursor to set the scrolling axis status variable to "x";

moving the input device along a second direction in a second range of directions to scroll the displayed subset of the images along a second dimension of the at least three dimensions, the second range of directions being orthogonal to the first range of directions, (column 8, lines 28-30), i.e. in Fig. 6b, an approximately vertical motion is issued to the cursor to set the scrolling axis status variable to "y";

moving the input device along a third direction in a third range of directions to scroll the displayed subset of the images along a third dimension of the at least three

dimensions, the third range of directions being disposed diagonally relative to the first
and second ranges of directions, (column 8, lines 1-3), i.e. there are three patterns
defined (i.e., a horizontal line, a vertical line and <u>a circle</u>), each of them assigned to a
different scrolling axis (i.e., "x", "y" and <u>"z" axis</u>).

      While Gilligan does not explicitly teach a method of moving in a third direction
that is diagonal to the first and second directions it would have been obvious to one of
ordinary skill in the art to have modified the mouse movement scrolling method of
Gilligan to scroll in a z direction in response to a diagonal mouse movement. One of
ordinary skill in the art would have been motivated to have made such modifications
because, Gilligan teaches in column 8, lines 1-5, that a user may scroll along the z-axis
through moving the mouse in a circle. It is simply a design choice as to the actual
pattern used to represent each axis, whether that is a circle, diagonal line, or any other
pattern representable through mouse movements. One of ordinary skill in the art (e.g. a
computer programmer designing a mouse movement scrolling program) could have
chosen any pattern possible in representing each of the possible scrolling directions.

      It would have been obvious to one of ordinary skill in the art at the time the
invention was made to have modified Allen's three dimensional visualization system
with the three dimensional scrolling system of Gilligan. One of ordinary skill in the art
would have been motivated to have made such modifications because both Allen and
Gilligan are analogous art in the field of scrolling in three dimensions. Furthermore,
Allen teaches in page 1, paragraph [0014], that a user input device may include "a
pointing device such as a mouse" and Gilligan's system is directed to such a mouse.

Regarding claim 19, modified Allen teaches the system of claim 18 as described

above. Allen further teaches the following:

the first, second, and third ranges of directions are coplanar and non-overlapping

and the first, second, and third dimensions are orthogonal to each other (see Allen Fig.

4A).

Regarding claim 20, modified Allen teaches the system of claim 18 as described

above. Allen further teaches the following:

the first, second, and third directions are coplanar (see Allen Fig. 4A).

Regarding claim 21, modified Allen teaches the system of claim 1 as described

above. Gilligan further teaches the following:

the set of attributes includes a first attribute, a second attribute, and a third

attribute, (column 7, line 67 – column 8, line 3), i.e. in the preferred embodiment of the

original method described in the parent application, there are three patterns defined,

each of them assigned to a different scrolling axis (i.e., "x", "y" and "z" axis), *and*

wherein the processor:

selects and changes the range of values for the first attribute in response to

movement of the manipulation unit along the x-direction, (column 8, lines 21-23), i.e. in

Fig. 6a, an approximately horizontal motion is issued to the cursor to set the scrolling

axis status variable to "x";

selects and changes the range of values for the second attribute in response to
movement of the manipulation unit along the y-direction, the y-direction being
orthogonal to the x-direction, (column 8, lines 28-30), i.e. in Fig. 6b, an approximately
vertical motion is issued to the cursor to set the scrolling axis status variable to "y"; and

selects and changes the range of values for the third attribute in response to
movement of the manipulation unit along the z-direction, the z-direction being at 45
degrees relative to the x-direction and the y-direction, the x-direction, the y-direction,
and the z-direction being linear and coplanar, (column 8, lines 1-3), i.e. there are three
patterns defined (i.e., a horizontal line, a vertical line and a circle), each of them
assigned to a different scrolling axis (i.e., "x", "y" and "z" axis).

While Gilligan does not explicitly teach a method of moving in a third direction
that is diagonal to the first and second directions it would have been obvious to one of
ordinary skill in the art to have modified the mouse movement scrolling method of
Gilligan to scroll in a z direction in response to a diagonal mouse movement. One of
ordinary skill in the art would have been motivated to have made such modifications
because, Gilligan teaches in column 8, lines 1-5, that a user may scroll along the z-axis
through moving the mouse in a circle. It is simply a design choice as to the actual
pattern used to represent each axis, whether that is a circle, diagonal line, or any other
pattern representable through mouse movements. One of ordinary skill in the art (e.g. a
computer programmer designing a mouse movement scrolling program) could have
chosen any pattern possible in representing each of the possible scrolling directions.

Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over modified

Allen as applied to claim 1 above in view of Dobbelaar (US 6,538,672).

Regarding claim 5, modified Allen teaches the system of claim 1 as described

above. However, Allen does not explicitly teach a method where the attributes

represented by each of the three axes may be configured. Dobbelaar teaches the

following:

a configuration dialog is provided for configuring which attributes are represented

by each of the x, y, and z-axes, (column 7, lines 50-53), i.e. the user may be allowed to

assign another program attribute to the axis 21, e.g. using on-screen display menus,

which is a well known way in the art for changing system parameters.

It would have been obvious to one of ordinary skill in the art at the time the

invention was made to have modified the graphical representation method of Allen with

the axis attribute setting method of Dobbelaar. One of ordinary skill would have been

motivated to have made such modifications because both Allen and Dobbelaar are

analogous art in the field of arranging data according to multiple axes on a display.

Furthermore, as Allen describes on pg. 3, paragraph [0022], that an object element may

have any number of dimensions, each associated with an axis. It would have been

obvious to one of ordinary skill to present the user with a means to select which

dimensions to present. As Dobbelaar teaches in column 7, lines 52-53, using on-screen

display menus was a well known skill in the art for changing system parameters.

Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over modified

Allen as applied to claim 1 above in view of Gargi (US 6,915,489).

Regarding claim 6, modified Allen teaches the system of claim 1 as described

above. However, Allen does not explicitly teach a method where an attribute is

periodically increased or decreased. Gargi teaches the following:

the processor is arranged for, under control of the computer program, changing

the subset by periodically increasing or decreasing the value of an

attribute of the set or the value of the additional attribute, (column 5, lines 25-27), i.e. by

positioning the cursor 62 in alignment with the incrementing icon 68 <u>for a set period of</u>

<u>time,</u> <u>a second stack</u> will be presented to the user; and

changing the view according to the changed subset, (column 5, lines 25-27), i.e.

by positioning the cursor 62 in alignment with the incrementing icon 68 for a set period

of time, a second stack <u>will be presented to the user</u>.

It would have been obvious to one of ordinary skill in the art would have modified

the data navigation method of Allen with the periodic transition method of Gargi. One of

ordinary skill in the art would have been motivated to have made such modifications

because Allen and Gargi are analogous art in the field of visualizing and arranging data

in multiple dimensions. While Gargi's method is chiefly focused to that of image

browsing, Allen shows that there method may also be directed towards images in their

showings of Figs. 3b-3e. Gargi may be interpreted as a two dimensional array in that

each "stack" of images presented to the user has a specific order of images. Therefore,

the image data is organized in stack number and position within that stack. This is very

similar to Allen's method as shown in Fig. 4A where elements are organized in a plane

number and position in that plane.

Claim 7 is rejected under 35 U.S.C. 103(a) as being unpatentable over modified

Allen as applied to claim 1 above in view of Takabayashi et al. (US 2003/0158476),

hereinafter Takabayashi.

Regarding claim 7, modified Allen teaches the system of claim 1 as described

above. However, Allen does not explicitly teach a method where the images are

periodically changed with respect to a further attribute. Takabayashi teaches the

following:

the processor is arranged for, under control of the computer program,

periodically increasing or decreasing a value of a further attribute of each image, said

value not being selectable by scrolling substantially parallel to one of the x- and y- axes,

(pg. 4, paragraph [0050]), i.e. Fig. 6 shows the flow of monitor scanning and imaging

scanning according to an embodiment of the invention. Once the contrast agent has

been injected, monitor scanning starts. During monitor scanning, the monitor images

are updated successively at a display rate of one frame per second; and

changing the view according to the changed value, (pg. 4, paragraph [0050]), i.e.

Fig. 6 shows the flow of monitor scanning and imaging scanning according to an

embodiment of the invention. Once the contrast agent has been injected, monitor

scanning starts. During monitor scanning, <u>the monitor images are updated</u> successively at a display rate of one frame per second.

The examiner interprets Takabayashi's teaching of updating an image based on time to encompass applicant's claim in that, upon the modification of Allen in view of Takabayashi, time would be a fourth dimension and thus not be selectable by scrolling the other three axes.

It would have been obvious to one of ordinary skill in the art to have modified the three dimensional display of Allen with the time dependent display of Takabayashi. One of ordinary skill in the art would have been motivated to have made such modifications because both Allen and Takabayashi are analogous art in the field of presenting images

(10) Response to Argument

***Ground No. 1 – Neither Allen nor Gilligan, nor the combination thereof, disclose,
teach, or fairly suggest that one could or should scroll along the z-axis by moving
along a diagonal direction (claim 1):***

Appellant argues that as Allen teaches of moving a different slide bar left and
right to scroll along a z-axis and Gilligan teaches of moving the pointer in a circular
motion to scroll along a z-axis, neither Allen not Gilligan, nor the combination thereof,
disclose, teach, or fairly suggest that one could or should scroll along the z-axis by
moving along a diagonal direction diagonally between and in a common plane with the
x- and y-directions without the use of a slide bar. Applicant further references the 37
CFR 1.132 Declaration of Petrus Mass, filed Jan. 2010. See *Brief* – Pages 12-13.

The examiner disagrees.

Firstly, as cited in the 3/20/2010 Final Rejection, the examiner concedes that
Gilligan does not explicitly teach of moving a cursor in a diagonal motion for the purpose
of scrolling in a z-direction. However, at the time the invention was made, it was a well
known technique in the art that a third (depth) direction may be drawn as a diagonal line
roughly in between the horizontal and vertical axes. Support for this statement may be
seen in Gilligan's Fig. 4A represented below for clarity.

AXIS 3

→ AXIS 2

AXIS 1

If one were to extend the axes of Gilligan, one would arrive at a depth axis clearly

being represented as a diagonal line roughly between the horizontal and vertical axes.

(shown below with axes extensions represented as arrows with dotted lines)

AXIS 3

→ AXIS 2

AXIS 1

Furthermore, Gilligan (US 5,313,229), the parent case of Gilligan et al. (US

5,374,942), states in column 12, lines 62-68, that "if the user moves the mouse in one

clearly horizontal or vertical direction, the dominant axis status variable is set to either

"x" or "y" respectively. If the user "draws" a circle or any other similar figure through the

mouse movement where NONE of the equations is satisfied and the alternative "z" axis

is assumed". As a diagonal line is not clearly horizontal or vertical, it is clear a "z" axis

would be set under this teaching of Gilligan.

Secondly, regarding applicant's arguments directed to the 01-2010 37 CFR 1.132

Declaration, as stated in the 3/20/2010 Final Rejection:

"While the examiner duely respects the background and credentials of Petrus

C.F. MAAS, the 1.132 declaration filed 1/4/2010 appears to be purely the opinion of Mr.

Maas and shows no support through actual fact. As such the declaration fails to provide

sufficient evidence to overcome the rejections, which are therefore maintained at the

present time."

Ground No. 2 –Stewart (e.g. Calculus) does not cure the shortcomings of Allen

and Gilligan (claim 1):

Appellant argues that is unclear whether the Examiner has made a new ground

of rejection in the Advisory Action including Calculus (See brief Pages 13-14).

Furthermore, Calculus supports the 1/10/2010 37 CFR 1.132 Declaration that moving

the manipulation unit diagonally to scroll along the z-axis is more intuitive than moving

in circles.

The examiner again respectfully disagrees.

As directly stated in the 3/20/2010 Final Rejection, and again tin the 6/18/2010,

"Next, for the **purpose of support** of the rejection that is was well-known at the time to

present the z-axis between the x- and y-axes, the examiner would like to site the

reference of "Calculus Third Edition", by James Stewart". As the examiner explicitly

states that the Calculus reference was presented for support and makes no mention of

said reference in the actual rejection of claim 1, appellant is unclear as to the

statements that the Calculus reference was utilized in a new ground for rejection.

Regarding appellant's argument directed to Calculus supporting the 1/10/2010 37

1.132 Declaration, the Calculus reference was cited as support that it was well known

that a depth axis may be drawn as a diagonal line.

Lastly, Appellant states at the bottom of page 13 of the 9/29/2010 brief, that "Stewart does not teach that one should remove the ability to scroll diagonally across an (x,y) plane and cause the diagonal movement which both Allen and Gilligan agree should cause diagonal scrolling to instead cause scrolling along a z-axis". This statement is unclear as no direct teaching within Gilligan may be located which teaches of scrolling in a diagonal line within an (x,y) plane. Instead, Gilligan teaches selecting one axis to scroll along at a time (e.g. horizontal, vertical, and depth).

Appellant's remaining arguments simply reiterate appellant's arguments regarding claim 1.

(11) Related Proceeding(s) Appendix

No decision rendered by a court or the Board is identified by the examiner in the

Related Appeals and Interferences section of this examiner's answer.

For the above reasons, it is believed that the rejections should be sustained.

Respectfully submitted,

/GREGORY A DISTEFANO/

Examiner, Art Unit 2175

Conferees

/William L. Bashore/
Supervisory Patent Examiner, Art Unit 2175

/Kieu Vu/
Supervisory Patent Examiner, Art Unit 2173